
# SUPPORTING INFORMATION FOR KITCHEN CABINETS

- Cabinet library and configurations
- Order form and instructions
- QR code links to materials and other information










# Index

1. CABINET SPECIFICATIONS
2. DRAWER SPECIFICATIONS
3. DOORS SPECIFICATIONS
4. DOOR FINISHES
5. CABINETS CONFIGURATIONS
6. TECHNICAL SUPPORT INFORMATION
7. TERMS AND CONDITIONS
8. CARE AND MAINTENANCE
9. WARRANTY
10. ORDER FORM
-


# **1. CABINET SPECIFICATIONS**





### 2. DRAWER SPECIFICATIONS











### UNDERMOUNT DRAWER GUIDES



## **3. DOOR SPECIFICATIONS**





\*Shaker Style Doors have a minimum width of 8" and a max width of 48". Any doors 8" or smaller will be changed to slab.

\*\*Shaker Style Doors have a minimum height of 8" and a max height of 96". Panels less than 7.5"h will default to a drawer front.

\*\*\*Shaker Style Drawers have a minimum height of 6" and a min width of 8". Drawer Fronts less than min height will default to slab panels and less than min width will default to shaker panel drawer fronts with 1.5" rails.

\*\*\*\*Please contact Cabinets Quick to check any material & sample availability or to place a sample order.



**1. MELAMINE** *Is an excellent choice of material for kitchen doors as it is highly durable, moisture resistant and extremely cost effective.* 

### A) AMERICAN LAMINATES EIR COLLECTION





### **B) EGGER**

WHITE GLADSTONE NATURAL HALIFAX OAK



### C) CLEAF







2023 © Cabinets Quick® 1742 N. Case St, Orange, CA 92865 • Phone: 714 532 9005 • info@cabinetsquick.com • www.cabinetsquick.com VERSION 1 7



### 2. HIGH GLOSS STYLELITE

Is a product that offers a contemporary and highly flexible ultra gloss solution that is both luxurious and affordable. High Gloss Coating delivers a far superior surface finish and appearance compared to high pressure laminate, PET, melamine, paint and RTF and other thinner acrylic laminate.



ALABASTER



\*Scan the QR CODE and find out more STYLELITE finishes



### **3. MATTE FINISH**

A) FENIXA) FENIXB) Ultra Matte Finish have revolutionized the world of interior design. They are a high-tech material, unique by their characteristics by undergoing a particular series of processes, including a multilayer coating and the use of next generation acrylic resins. With low light reflectivity, their surface is extremely opaque, soft touch and anti-fingerprint.



**B) STYLELITE TRUMATTE** 

Smooth, untextured matte finish, that provides increased scratch resistance over High Gloss surfaces and very low finger printing.



\*Scan the QR CODE and fin out more CLEAF finishes



### 4. PREFINISHED WOOD VENEERS

A) SHINNOKI They are technically a thin layer of hardwood, usually thinner than 1/8 of an inch that is attached to a board. It's not printed, it's real wood and the process yields a durable, clear coating that is resistant to water, heat and highlights the properties and beauty of the wood.



B) LIGNAPAL

These veneer sheets have been reinforced by a synthetic resin impregnated backer and given an environmentally friendly lacquer coating finish. The prefinished coating ensures that the warm feeling of real wood comes into its own.





### 5. UNFINISHED WOOD VENEERS

Unlike the Prefin. Wood Veneers - the Unfinished Veneer Cabinets - require a second process



\*Consult our order entry department to learn more about our finishing options (714) 532 9005

### 6. PAINT GRADE

The best possible door for painted applications, our MDF paint-grade doors use only super-refined MDF, providing unrivaled smoothness and finishing.



\*Consult our order entry department to learn more about our finishing options (714) 532 9005




	BASE: 1 SHELF			
1 DOOR		B:1SH-1DR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:1SH-2DR	W: from 24" to 48" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	


1	BASE: 2 ROLL OUTS	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	
1 DOOR	Includes: (2) 4" H Roll Outs	B:2RO-IDR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler
2 DOORS		B:2RO-2DR	W: from 24" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler

	BASE: 2 SHELVES Solution Solut			
1 DOOR		B:2SH-IDR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:2SH-2DR	W: from 24" to 48" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	





BAS	BASE: PULL OUT 3 TIER					
1 DOOR		B: PO CO 3	W: from 7" to 12" D: 24"D + Door = 25" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler			





B	ASE: 1 TOP DRAWER 1 SHELF	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	
1 DOOR	Includes: (1) 6"H Drawer Front with a 4" H Drawer Box	B:IDWR-ISH-IDR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler
2 DOORS		B:IDWR-ISH-2DR	W: from 24" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler


	BASE: 1 TOP DRAWER TRAY	RAWER TRAY		
1 DOOR	Includes: (1) 6"H Drawer Front with a 4" H Drawer Box (2) Tray Partitions	B:IDWR-TR-IDR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:IDWR-TR-2DR	W: from 24" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	

B	BASE: 1 TOP DRAWER 2 ROLL OUTS		*REST PRACTICE SIZES - OPEN			BASE: 2 TOP DRAWERS 1 SHELF		<b>DIMENSIONS</b> *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	Includes: (1) 6"H Drawer Front with a 4" H Drawer Box (2) 4" H Roll Outs	B:1DWR-2RO-1DR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	1 DOOR	Includes: (2) 6"H Drawer Front with a 4" H Drawer Box	B:2DWR-ISH-IDR	W: from 12" to 24" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:IDWR-2RO-2DR	<ul> <li>W: from 24" to 36"</li> <li>D: from 12" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>	2 DOORS		B:2DWR-ISH-2DR	<ul> <li>₩: from 24" to 48"</li> <li>D: from 12" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>	



BASE: 2 DRAWERS	BASE: 2 DRAWERS BASE: 2 DRAWERS BASE: 4 DRAWERS FOR CUSTOMIZATION BASE: 4 DRAWERS		SKU	<b>DIMENSIONS</b> *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	
Includes: (2) 15"H Drawer Front with a 10" H Drawer Box	B:2DWR	W: from 12" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	YDAXER LINE ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	B:4DWR	W: from 12" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler
BASE: 3 DRAWERS	sku	DIMENSIONS *BEST PRACTICE SIZES - OPEN	BASE: 2 TOP DRAWERS 2 BOTTOM	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN

BASE: 3 DRAWERS	SE: 3 DRAWERS		
Includes: (1) 6"H Drawer Front with a 4" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box Includes: (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box Includes: (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box Includes: (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (2) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (3) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (4) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (5) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (6) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x8" H Drawer Box (7) 12"H Drawer Front with 1x10" and 1x10" and 1x10"	B:3DWR	W: from 12" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	





# SINK FALSE FRONT CABINET

	SINK BASE BINK BASE DIMENSIONS *BEST PRACTICE SIZES - OIL FOR CUSTOMIZATION			
	NOTE: This cabinet is built with NO backs (1) 4"H Internal Apron	B:SINK-IDR	W: from 15" to 24" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:SINK-2DR	<ul> <li>₩: from 24" to 42"</li> <li>D: 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>	

	ASE SINK: FALSE FRONT			
NOTE: This c	abinet is built with NO backs	B:FF-IDR	W: from 15" to 24" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler	
2 DOORS		B:FF-2DR	W: from 24" to 42" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler	



# **CORNER BASE CABINETS**

BASE: 90 CORNER 1 SHELF (L/R)		SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
2 DOORS		B:90CR-ISH-IDR B:90CL-ISH-IDR	<ul> <li>₩: 36" or 38"</li> <li>D: 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>

	90 CORNER LAZY USAN (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
SEOOG T	een Hardware with Two White Plastic Kidney	B:90CR-LS-IDR B:90CL-LS-IDR	₩: 36" or 38" <b>D:</b> 24"D + Door = 25" <b>H:</b> 34.5" including 4" leg leveler

**CORNER BASE CABINETS** 



DIMENSIONS


\*BEST PRACTICE SIZES - OPEN

FOR CUSTOMIZATION

SKU

B:BL-LEMANS245L

W: 34"



### D: 24"D + Door = 25" B:BR-LEMANS245L H: 34.5" including 4" leg leveler B:BL-LEMANS250L W: 38" D: 24"D + Door = 25" B:BR-LEMANS250L H: 34.5" including 4" leg leveler B:BL-Lemans260L W: 39.5" DOOR D: 24"D + Door = 25" B:BR-LEMANS260L -H: 34.5" including 4" leg leveler

**BASE: BLIND CORNER** 

LEMANS (L/R)

Includes:

**BASE MICROWAVE: OPEN** 

(1) 12"H Drawer Front with a 8" H Drawer Box

S
Ľ
Z
-
U
S
$\mathbf{O}$
$\mathbf{\underline{\vee}}$
Ζ
Δ
5
•

Includes:

**1 DRAWER FRONT** 

BASE COOKTOP: FALSE FRONT	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
(2) 9.5"H Drawer Front with a 8" H Drawer Box	B:CTFF-2DWR	W: from 12" to 30" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler

SKU

B:MICRO-NDR

BASE TRASH UNIT: PULL OUT		*BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	
Includes:         (1) 30.5"H Drawer Front with 10"H Drawer Box         (2) Gray Waste Containers of 35 lbs capacity         Image: Contract of the second secon	B:GARB-IDR	W: from 12" to 18" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler	

NETS

AB

DIMENSIONS

DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	BASE TRASH UNIT: 1 DRAWER	SKU	<b>DIMENSIONS</b> *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
<ul> <li>₩: from 12" to 30"</li> <li>D: from 18" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>	Includes: (1) 6"H Drawer Front with 4"H Drawer Box (2) Gray Waste Containers of 35 lbs capacity	B:GARB-IDWR-IDR	₩: from 12" to 18" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler

BASE MICROWAVE: FALSE FRONT	SKU	<b>DIMENSIONS</b> *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
Indudes: (1) 12" H Drawer Front with a 8" H Drawer Box Indudes: (1) 12" H Drawer Front with a 8" H Drawer Box Indudes: In	B:MICRO-IDR	<ul> <li>₩: from 12" to 30"</li> <li>D: from 18" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>



VERTICAL LIFT WALL CABINET 1 SHELF	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
Includes:         (1) Swing-Up Fitting Model D         Image: Comparison of the second	W:V-ISH-IDR	W: 30" to 48" D: from 8" to 16" *(CQ Default) 13"D + Door = 14" H: 18", 19", 20" or 24"

WALL: BLIND CORNER 2 SHELVES (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
NOTE: Blind panel with is 16"	W:BR-2SH-IDR W: BL-2SH-IDR	<ul> <li>₩: 28" to 40"</li> <li>D: from 8" to 16"</li> <li>*(CQ Default) 13"D + Door = 14"</li> <li>H: 36", 38" or 40"</li> </ul>

VERTICAL LIFT WALL CABINET		<b>DIMENSIONS</b> *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
Includes: (1) Swing-Up Fitting Model D	W:V-IDR	W: 30" to 48" D: from 8" to 16" *(CQ Default) 13"D + Door = 14" H: 18", 19", 20" or 24"

	WALL: 2 SHELVES	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
IDOOR		W:2SH-IDR	W: from 15" to 24" D: from 8" to 16" *(CQ Default) 13"D + Door = 14" H: 36", 38" or 40"
2 DOORS		W:2SH-2DR	W: from 24" to 48" D: from 8" to 16" *(CQ Default) 13"D + Door = 14" H: 36", 38" or 40"



WALL FRIDGE: LIFT WALL CABINET		SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
1 DOOR	Includes: (1) Swing-Up Fitting Model D	R:V-IDR	W: from 30" to 48" D: from 12" to 24" *(CQ Default) 14"D + Door = 15" H: from 10", 12", 14", 16", 18", 20", 22" or 24" *Recommended Heights - Open to customization)

	WALL HOOD: LIFT WALL CABINET	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
1 DOOR			W: from 30" to 48" D: from 12" to 16" *(CQ Default) 13"D + Door = 14" H: from 10" to 27"

WALL MICRO: 1 SHELF	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
3 DOORS	M:IF-ISH-2DR	W: from 30" to 48" D: from 12" to 24" *(CQ Default) 14"D + Door = 15" H: 36", 38" or 40" *Recommended Heights - Open to customization)


WALL FRIDGE: NO SHELVES		DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
2 DOORS	R:2DR	W: from 30" to 48" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: from 10", 12", 14", 16", 18", 20", 22" or 24" *Recommended Heights - Open to customization)

W	ALL HOOD: NO SHELVES	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
2 DOORS		WH:2DR	<ul> <li>₩: from 30" to 48"</li> <li>D: from 12" to 16"</li> <li>*(CQ Default) 13"D + Door = 14"</li> <li>H: from 10" to 27"</li> </ul>



	TALL: 5 SHELVES		DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION	TALL: 4 ROLL OUTS 3 SHELVES		DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
1 DOOR	Includes: (5) Adj. Shelves	T:5SH-IDR	W: from 12" to 24" D: from 12" to 26" *(CQ Default) 24"D + Door = 25" H: 92", 94" or 96" including 4" leg leveler	Includes:         (3) Adj. Shelves         (4) 4"H Roll Outs	T:3SH-4RO-1DR	<ul> <li>₩: from 12" to 24"</li> <li>D: from 12" to 26"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 92", 94" or 96" including 4"</li> <li>leg leveler</li> </ul>
2 DOORS		T:5SH-2DR	W: from 24" to 48" D: from 12" to 26" *(CQ Default) 24"D + Door = 25" H: 92", 94" or 96" including 4" leg leveler	Reoort	T:3SH-4RO-2DR	W: from 24" to 36" D: from 12" to 26" *(CQ Default) 24"D + Door = 25" H: 92", 94" or 96" including 4" leg leveler






	TALL TB: 4 ROLL OUTS 3 SHELVES	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
2 DOORS TB	Includes: (2) Adj. Shelves (1) Fixed Shelf (4) 4"H Roll Outs NOTES: *For a more economical option customers can require to switch the roll out material to our newest Metal Roll Out System *Bottom door height is 51 7/8"	T:1FS-2SH-4RO-2DR-TB	W: from 12" to 24" D: from 12" to 26" *(CQ Default) 24"D + Door = 25" H: 92", 94" or 96" including 4" leg leveler
4 DOORS TB		T:JFS-2SH-4RO-4DR-TB	<ul> <li>₩: from 24" to 36"</li> <li>D: from 12" to 26"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 92", 94" or 96" including 4"</li> <li>leg leveler</li> </ul>



		SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
2 DOORS TB	I) Adj. Shelves (1) Fixed Shelf (4) 4"H Roll Outs III Fixed Shelf (4) 4"H	T:PO-IFS-ISH-2DR-TB	<ul> <li>₩: from 10" to 24"</li> <li>D: from 24" to 26"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 92", 94" or 96" including 4"</li> <li>leg leveler</li> </ul>





VANITY CABINETS



VANITY: 1 SHELF	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION		ANITY: FALSE FRONT 2 DRAWERS (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
IDOOR	V:ISH-IDR	W: from 15" to 24" D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	Inc	TE: This cabinet is built with NO backs ludes: 10"H Drawer Front with a 8"H Drawer Box	V:FF-2LDWR-IDR	<ul> <li>₩:from 30" to 48"</li> <li>D: from 21" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H:34.5" including 4" leg leveler</li> </ul>
3 DOORS	V:ISH-2DR	<ul> <li>₩: from 24" to 48"</li> <li>D: from 21" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>	1 DOOR		V:FF-2RDWR-IDR	₩: from 30" to 48" D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler
VANITY SINK: FALSE FRONT	V:S INKFF-IDR SKU	DIMENSIONS*BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATIONW: from 15" to 24"D: from 21" to 24"*(CQ Default) 24"D + Door = 25"H: 34.5" including 4" leg leveler	2 DOORS		V:FF-2LDWR-2DR	<ul> <li>₩: from 30" to 48"</li> <li>D: from 21" to 24"</li> <li>*(CQ Default) 24"D + Door = 25"</li> <li>H: 34.5" including 4" leg leveler</li> </ul>
3 DOOR	V:SINKFF-2DR	W: from 24" to 36" D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler	2 DOORS		V:FF-2RDWR-2DR	<pre>₩:from 30" to 48"</pre> D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H:34.5" including 4" leg leveler




VANITY: 2 DRAWERS	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
Includes: (2) 15"H Drawer Front with a 10" H Drawer Box	V:2DWR	W: from 12" to 36" D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler

VANITY: GROOMING ORGANIZER	B S S S S S S S S S S S S S S S S S S S	
Includes: (1) "No Wiggle" Base Cabinet Soft-close Pullout (1) Grooming Organizer Insert for VBP08-SC	V:POWDGROOMING-IDR	W: from 9" to 13" D: 24"D + Door = 25" H: 34.5" including 4" leg leveler


VANITY: 3 DRAWERS	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
START STATES AND A START	V:3DWR	W: from 12" to 36" D: from 21" to 24" *(CQ Default) 24"D + Door = 25" H: 34.5" including 4" leg leveler

VANITY: MAKE UP BRIDGE	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
Includes: (1) 6"H Drawer Front with a 4" H Drawer Box	V:PENCIL	W: from 12" to 36" D: from 12" to 24" *(CQ Default) 24"D + Door = 25" H: 6 3/8"


BASE FILLER (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
3/8 30 1/8 30 1/2	R BASE FILLER L	W: 2" *Filler will always come 1" wider than ordered H: 30.5"
4 4 376	BASE FILLER	**It will not go to the floor ***Filler will adjust with the toe kick height




BASE APPLIED END J PANEL (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	Ŀ-0	W: from 1.5" to 6" *(CQ Default) is 2"
	LIED END	D: from 12" to 25" **(CQ Default) is 25"
	BASE: APPLIED LEFT/RIG	H: 34 1/8" ***Intented to sit on the floor. The height maintains the 3/8" top reveals.
	BA	****Customer to indicate specific sizes



BASE APPLIED END PANEL	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	<b>BASE APPLIED END</b>	W: from 12" to 25"" H: 34 1/8" *Intented to sit on the floor. The height maintains the 3/8" top reveals. **Customer to indicate specific sizes







S
ш
7
4
D
7
4
S
2
ш


뷴

ISLAND PANELS (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	ISLAND PANELS L/R	*Customer to indicate specific sizes ( <b>W</b> and <b>H</b> )

WALL FILLER (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
35 7/8	WALL FILLER R WALL FILLER L	₩: 2" *Filler will always come 1" wider than ordered H: 36", 38" or 40" **Filler will adjust with the wall height

WALL FINISHED END PANEL	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	WALL FINISH END PANEL	₩: from 8" to 16" H: 36", 38" or 40" *Customer to indicate specific sizes


WALL DOOR PANEL	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	WALL FINISH END PANEL	₩: from 8" to 16" H: 36", 38" or 40" *Customer to indicate specific sizes







TALL FILLER (L/R)	sku	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	TALL FILLER L	₩: 2" *Filler will always come 1" wider than ordered
-	TALL FILLER R	H: 88", 90" or 92" **It will not go up to the floor ***Filler will adjust with the toe kick height



TALL APPLIED END L PANEL (L/R)	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	L/R	₩: from 1.5" to 6" *(CQ Default) is 2"
	MTR ISL	D: from 12" to 26" **(CQ Default) is 25"
	BASE END M	H: 92", 94" or 96" ***Intented to sit on the floor. The height maintains the 3/8" top reveals. ****Customer to indicate specific sizes

CROWN - CEILING SCRIBE	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	CROWN	W: 96" H: 2" *Customer to indicate specific sizes **Intented to be installed flush witht the door. Comes with 3/4" backing material.

TALL FINISHED END PANEL	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	TALL FINISH END PANEL	W: from 12" to 26" *(CQ Default) is 25" H: 92", 94" or 96" **Intented to sit on the floor. The height maintains the 3/8" top reveals. ***Customer to indicate specific sizes

TALL DOOR PANEL	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	ALL FINISH END PANEL	W: from 12" to 26" *(CQ Default) is 25" H: 92", 94" or 96" **Intented to sit on the floor. The height maintains the 3/8" top reveals. ***Customer to indicate specific sizes



DISWASHER FRONT PANEL	sku	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	B: DISWASHER FRONT PANEL	W: 3/4" *Customer to specify sizes (D and H)


FRIDGE FRONT PANEL	sku	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION
	T: FRIDGE FRONT PANEL	₩: 3/4" *Customer to specify sizes (D and H)

LIGHT BALANCE	BEST PRACTICE SIZES - C FOR CUSTOMIZATION			
[	LIGHT BALANCE	₩:96" H:2" (CQ Default) *Customer to indicate specific sizes		

TOE KICK	SKU	DIMENSIONS *BEST PRACTICE SIZES - OPEN FOR CUSTOMIZATION		
	TOE KICK	W:96" H:4" *Customer to indicate specific sizes		


# **6. TECHNICAL SUPPORT INFORMATION**













**PAYMENT.** A 50% deposit on all orders, due at the time of acknowledgment of approval. The deposit must be received prior to production. We require that the remaining balance must be paid prior to pick up or shipment. Deposit and/or final payment may be made by: Cash, Check, Cashiers Check, Credit Card. We accept Visa and Master Card. If sending a check or cashiers check, orders may be delayed until funds clear the bank.

### Please note, absence of a deposit will delay production and absence of final payment will delay pick up or shipping.

**ORDER PROCESSING**. Phone orders are not accepted due to the many errors that may arise from miscommunication. Please check your order form carefully for item size, quantity, color, etc. Your order will be processed sent for your acknowledgment, which must be signed and returned.

**REVISIONS**. Your order or estimate will be entered and then allow first and second customer revision (acknowledgment) for no additional charge. Any additional customer required revisions will require a fee of \$60 per revision cycle. Each time an order or estimate is revised it will be re-acknowledged. Any revision charges will be clearly shown on the latest acknowledgment.

**LEAD TIME**. Lead time varies depending on the current production schedule. More accurate lead times will be given when order is approved. Every reasonable attempt to ship by projected ship date will be made, but may be affected by special ordered material, non-payment of deposit, numerous revisions to an order, etc.

**RUSH ORDER SERVICES**. Rush Orders will be available for orders under 50 cabinet. Rush orders may be requested, but availability is not always guaranteed. Rush Order requests may be made for an additional 25%, with the minimum fee being \$500.

**CHANGES TO APPROVED ORDERS**. Requested revisions after an order is signed and approved by customer are never guaranteed. If the order is already in production, customers will incur a net charge based on time and any materials which may be affected.

**SHIPPING AND HANDING**. Because of the nature of our custom orders, it is impossible to determine the exact cost for shipping each order until the order is completed. We strive to provide our customers with the safest and most affordable means in all deliveries. Please be advised that delivery is not included in the price of the cabinets and all shipping charges are the responsibility of the customer. Customer should verify that the delivery truck can safely drive on all roads leading up to delivery destination. If inaccessible for any reason deemed necessary by the driver, customer is responsible for picking up their order from the shipping distribution center.

**DELIVERY AND INSPECTION**. Buyer shall have the right to inspect the goods with in five (5) days of delivery at the shipping address. Please note, after 5 days any order discrepancies are void. No exceptions. All products leave our factory in good condition and properly packaged. All claims for damaged or broken merchandise must be made through carrier. Any damage that is apparent up on delivery must be noted over the freight carrier delivery receipt. If the damage is severe ,we recommend you refuse the shipment entirely. All claims for damaged or broken merchandise must be made through carrier.

**INSTALLATION**. We do not accept responsibility or liability for installation of any product. We recommend using a professional installer for best results. Cabinets Quick is not responsible for problems arising from improper installation, use or care.

# 8. WARRANTY



#### LIMITED LIFETIME WARRANTY

Cabinets Quick here by warrants to the first and original purchaser, for residential applications only, that all cabinets, including system hardware, are free from defects in materials and workmanship for a period of (10) years and all doors and drawer fronts for a period of (1) year. This warranty is expressly limited to repair or replacement of the defective part at the sole discretion of Cabinets Quick and does not include labor for removal or replacement. This warranty does not extend to defects caused by improper handling, storage, installation, assembly or disassembly, intentional damage, product modifications, exposure to the elements including humidity which may result in warping or splitting, accidental misuse, abuse or negligence.

LIFETIME. Cabinets Quick offers a lifetime warranty for all Soft Close Hinges an Drawer Guides. This warranty runs for as long as you own your cabinets and begins upon the date of delivery to you.

Heat & Humidity. Various cooking appliances produce a lot of heat or humidity. It is very important to make sure these products are positioned so rising heat is not trapped or confined. Thermofoil and edge-banding on doors cannot be exposed to temperatures beyond 170 degrees for extended periods of time without risking permanent damage, which are not covered under the warranty.

**Sunlight and Aging**. Materials may vary in texture, color and wood grain, and exhibit subtle changes as they age. For example, wood joints may eventually have visible cracking around the joint area and cabinet colors may darken or lighten over time. Sunlight, smoke, moisture, household cleaners and other environmental conditions may cause materials to vary from their original color and/or to warp, split or crack. These variations are considered to be the nature of the material in relation to their environmental exposure and are not covered under this warranty.

Cabinets Quick makes no other warranties other than those set forth herein and all other warranties are here by disclaimed. The implied warranties of merchantability and fitness for a particular purpose are limited in duration to the length of the limited warranty period. The limited warranties set forth herein are restricted to the first and original buyer and are not transferable thereafter. In no events hall Cabinets Quick be liable for incidental or consequential damages to the purchaser or to any third party, including, without limitation, damages arising from personal injury, lost profits, loss of business opportunity, loss of property, economic losses, or statutory or exemplary damages, whether from negligence, warranty, strict liability or other wise. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. All claims for defective cabinets and accessories must be submitted to Cabinets Quick in writing and must specify the defects present in the cabinets and accessories or repair any defects in the cabinets and accessories.



**EVERY DAY CARE**. It is important to wipe up spills and water marks as they occur. Give special attention to care as around the sink and dishwasher. Avoid draping damp or wet dish towels over the door of a sink base cabinet. Over time, this moisture can cause permanent water damage to the door. A convenient, out-of-the-way sliding towel rack is recommended.

**DUSTING**. Dust cabinets frequently with a soft lint-free cloth. You can dampen the cloth slightly with water or spray-type dust remover.

**SPILLS**. Clean spills immediately. Use a clean cloth and mild soap if necessary. Wipe dry with a clean soft cloth.

**CLEANING**. There are a number of products available for your wood cleaning needs. Many wood cleaning products are available at many stores nation wide including Bed Bath & Beyond, Walmart and Ace Hardware. A more economical way to remove grease build up over cabinets is to use Fantastik. Apply and remove quickly, then wash your cabinets with a mild soap. After washing, dry thoroughly.

**DON'T**. Never use detergents, soap pads or steel wool on your cabinetry. These harsh abrasives will mar the wood finish. Additionally, we recommend that you avoid the use of paste wax and polishes that contain silicone; the wax build up is difficult to remove and will leave a residue that attracts dust.

**ACRYLIC**. Never use Acetone or Ammonia-based product son Acrylic Panels. Wipe with scratch resistant microfiber clothes with mild detergents ONLY. In the event that your surfaces gets crotched, you may purchase one of our scratch kits.

### KITCHEN ORDER FORM •

**FREE QUOTE REQUEST** \* MUST BE NOTED OR MAY CAUSE DELAY TO QUOTE

* PROJECT NAME:	* CONTACT NAME:		* QUOTE DUE DATE:					
* COMPANY NAME:	* PHONE:	EMAIL:						
* CONTACT ADDRESS:		* PROJECT STATUS:	GENERAL BIDDING					
BY SELECTING THIS OPTION CABINETS QUICK WILL FOLLOW OUR TYPICAL CONSTRUCTION STANDARDS (CQ DEFAULT) ONLY DOOR MATERIALS WILL NEED TO BE SELECTED.								
DISCLOSURE: All quotes and drawings are Cabinets Quick's property until the job is approved. All quotes are free of charge. A maximum of 2 changes per quote will be allowed. For more than 2 changes per quote a deposit will be required. CQ defaults are designed to give you a configuration that will serve well for most applications. The Rest of options displayed here are not upgrades but are alternatives to the CQ defaults. For upgrades is approved, and the provided of the context of								
A) PROVIDE DOORS, FILLERS, CEILING SCRIBE YES NO If YES please select from the options bellow:								
<ul> <li>SLAB DOORS</li> <li>Melamine (American Laminates, Egger, Cleat color</li></ul>	color  Matte Finish (Fenix, Stylelite, etc., color Unfinished Wood Veneers (Rift color napal, etc.)  1 PC. MDF ROUTED SHAKER DC	Egger, Cleaf, etc.)       Image: Color         Image: Color       Image: Color         Image: Cut White Oak, Walnut, etc.)       Image: Cut White Oak, Walnut, etc.)         Image: Cut White Oak, Walnut, etc.)       Image: Cut White Oak, Walnut, etc.)         Image: Cut White Oak, Walnut, etc.)       Image: Cut Walnut, etc.)         Image: Cut White Oak, Walnut, etc.)       Image: Cut Walnut, etc.)         Image: Cut Walnut, etc.)       Image: Cut Walnut, et	Matte Finish (Fenix, Stylelite, etc.) color Unfinished Wood Veneers (Rift Cut White Oak, Walnut, etc.)					
□ 2S Paint Grade □ 1S/1S White Lin	er 🛛 1S/1S White Liner	□ YES ( □ NO	☐ YES (CQ DEFAULT) ☐ NO					
B) CABINETS MATERIALS	D) PROVIDE DRAWERS	E) CABINETS CONSTRUCTION	F) OTHER FEATURES					
<ul> <li>White Melamine (CQ DEFAULT)</li> <li>Prefinished Maple Plywood</li> <li>Gray melamine</li> <li>Other</li> </ul>	☐ YES (CQ DEFAULT)       ☐ NO         If YES please select from the followings:         1/2" Baltic Birch Dovetail Construction         ☐ (CQ DEFAULT)	Confirmat Construction (CQ DEFAULT)  DOOR REVEALS  A) BASE CABINETS  Top: 3/8" (CQ DEFAULT)  Other	DELIVER THE PROJECT YES NO (WILL CALL - CQ DEFAULT) *Shipping price will be determined after finished job is weighed					
C) EDGEBANDING	5/8" Solid Wood Maple Prefinished	Bottom: 0" (CQ DEFAULT)						
CABINET BOX FACE	<ul> <li>Dovetail Construction</li> <li>5/8" Prefin Maple Dowel Construction</li> </ul>	B) WALL HUNG UPPER AND TALL CABINETS	☐ YES (CQ DEFAULT) ☐ NO (FLAT STACKED)					
<ul> <li>Match Cabinet Material (CQ DEFAULT)</li> <li>Upgrade to Match Door</li> <li>Others</li> </ul>	<ul> <li>5/8" Melamine Dowel Construction</li> <li>White (CQ DEFAULT)</li> <li>Gray</li> <li>HAFELE Metal Slim A</li> </ul>	Top: 1/8" (CQ DEFAULT) Other " Bottom: 0" (CQ DEFAULT) Other " reveal cabinet bottom	LIGHT VALANCE YES (Valance molding under the cabinet) YES (Recessed bottom behind the doors) NO (CQ DEFAULT)					

CABINETS QUICK!



### KITCHEN ORDER FORM • FREE QUOTE REQUEST

					Company Name				Project Name or Number	Room Name or Number
coores quick sku#	Overtity	with Heigh	Dephi	excluding do	of R. Part	dent a start	Alothing Steel	5 she trons	Dro <sup>ner front Height</sup> ADD panels, t	MAKE COMMENTS ADDITIONAL INSTRUCTIONS inset apron, false front, fillers, need for edgebanding, etc.

Use this area to give us additional information and details as needed. NOTE: Provide INSIDE CLEAR dimensions or send sketch/CAD drawings for custom cabinets.

